

Pioneer DJM-V10-LF

Šifra: 15169
Kategorija prozivoda: DJ Miksete
Proizvođač: Pioneer DJ

Cena: 6.761,00 KM

become popular with the most creative DJs since its release in early 2020. The 6-channel unit is loaded with unique features and produces warm audio with energy and presence.

60 mm shaft slide faders

If you like to perform smooth, detailed mixes, you can enjoy a high level of control with the DJM-V10-LF. The crossfader from the DJM-V10 has been removed and brand-new 60 mm shaft slide faders have replaced the 45 mm ones on the channels.

Unique fader curve

The unit includes two classic fader curves from its predecessor – optimized to make the most of the extra length – plus an all-new curve preset that enables you to make fine adjustments to the volume of each channel and precisely control the output sound.

Elite sound quality

Feel the warmth of natural sound and hear every detail. Studio-quality 64-bit mixing and dithering processing, 32-bit high-quality A/D and D/A converters, a low-jitter clock circuit, and many other components all work to produce a full low-end, vibrant mids, and precise highs.

6 channels with a wide range of inputs

You're free to create your perfect setup with 6 channels and a host of different input types.

4-BAND EQ and compressor

Take full control of your mix with the newly developed 4-band EQ. A built-in compressor enables further adjustment of the loudness of your tracks.

Effects for more creative expression

The expanded send/return section enables you to add external FX, or even combine them with built-in FX. Create unique sounds; the possibilities are nearly limitless

Main Features

Pioneer DJM-V10-LF

The
60

mm shaft slide faders enable you to control the volume of the audio source from each channel precisely. What's more, a brand-new fader curve setting has been added to the unit and the faders have been appropriately weighted to enhance the potential offered by their elongated range.

All the other features and specifications of the DJM-V10-LF are the same as the [DJM-V10](#), which has

| | |
|--------------------------|---|
| MIDI Control | Full assignable MIDI controls |
| ProDJ Link | Yes |
| Booth EQ | Yes |
| P-LOCK Fader Caps | Yes |
| Auto Standby | Yes |
| DVS Control | rekordbox Serato DJ Pro TRAKTOR PRO 3 |
| What's in the box | DJM-V10-LF Power Cord Warranty (for some regions) Quick Start Guide Precautions for Use |

Specifications

| | |
|----------------------|----------|
| Sampling Rate | 96 kHz |
| Width | 17.23 in |

| | | |
|------------------------|--|------------------|
| Height | | 4.25 in |
| Depth | | 18.39 in |
| Weight | | 26.24 lb |
| Frequency Range | | 20 - 40000 Hz |
| A/D Converter | | 32 bit |
| D/A Converter | | 32 bit |
| S/N Ratio Line | | 105 dB |
| S/N Ratio Phono | | 88 dB |
| S/N Ratio Mic | | 79 dB |
| Distortion | | < 0.005 % (LINE) |

Channels

| | |
|-----------|--------|
| EQ | 4 band |
|-----------|--------|

| | |
|-----------------|--|
| EQ Range | [Hi/Low] -∞ ~ +6 dB / [Hi Mid/Low Mid] -26 dB ~ +6 dB dB |
|-----------------|--|

| | |
|-------------|-----|
| COMP | Yes |
|-------------|-----|

Performance Control

| | |
|-----------------|---|
| Channels | 6 |
|-----------------|---|

| | |
|---------------|-------------------------------|
| Filter | <div>HPF</div> <div>LPF</div> |
|---------------|-------------------------------|

| | |
|-------------|--|
| SEND | <div>Short Delay</div> <div>Long Delay</div> <div>Dub Echo</div> <div>Reverb</div> <div>2 Externals (1/4-inch TS jack)</div> |
|-------------|--|

| | |
|------------------|--|
| MULTI I/O | <div>1/4-inch jack</div> <div>USB (Type A)</div> |
|------------------|--|

| | |
|----------------|--|
| Beat FX | Delay Echo Ping Pong Spiral Helix Reverb Shimmer Flanger Phaser Filter Trans Roll Pitch Vinyl Brake |
|----------------|--|

| | |
|---------------------|-----|
| FX Frequency | Yes |
|---------------------|-----|

| | |
|--------------|-----|
| X-PAD | Yes |
|--------------|-----|

| | |
|---------------------------|-----|
| rekordbox Quantize | Yes |
|---------------------------|-----|

| | |
|------------------------|-----|
| Master Isolator | Yes |
|------------------------|-----|

| | |
|------------|--|
| Mic | |
|------------|--|

| | |
|-----------------------|--|
| Mic Connection | XLR / 1/4-inch Jack Combo 1/4-inch TRS Jack |
|-----------------------|--|

| | |
|-----------------|-------------------|
| Talkover | 3 Position Switch |
|-----------------|-------------------|

| | |
|----------------------------|-----|
| Talkover Attenuator | Yes |
|----------------------------|-----|

Terminals

| | |
|--------------------|--|
| Inputs | 6 DIGITAL (Coaxial) 6 LINE (RCA) 4 PHONO (RCA) |
| Send/Return | 3 SEND (1/4-inch TS jack) 3 RETURN (1/4-inch TS jack) |
| LAN | 1 |
| USB | 2 USB B ports 1 USB A port |
| Outputs | 2 MASTER (XLR, RCA) 1 BOOTH (1/4 inch TRS Jack) 4 HEADPHONE MONITOR (1/4 inch Jack, mini-jack) 1 REC OUT (RCA) 1 DIGITAL (AES/EBU) 1 MIDI (DIN) |