

MACKIE EM-91C - Studijski mikrofon

Šifra: 16032

Kategorija proizvoda: Sa Velikom Dijafragmom

Proizvođač: MACKIE

Cena: 98,00 KM



EM-91C koristi kardiodni polarni patern, koji odbija zvuk iza mikrofona - za redukovan "pikap curenja" drugih instrumenata, dok ublažava prostorni ambijent za direktniji, kontrolisaniji zvuk. Velika kondenzatorska kapsula/dijafragma ovog mikrofona fantomski se napaja, dok izbalansirani tropinski XLR output osigurava povezivost sa audio interfejsima, eksternim pretpojačalima, i miksing konzolama. **EM-91C** uključuje i shockmount/držak koji redukuje vibracije, kao i XLR kabl.

Mackie EM-91C Specs

Microphone

Form Factor	Stand/Boom Mount
Sound Field	Mono
Operating Principle	Pressure Gradient
Capsule	1 x Condenser
Polar Pattern	Cardioid
Orientation	Side Address
Circuitry	Solid-State
Pad	None
High-Pass Filter	None
Tone Adjustment	None

Indicators	<i>None</i>
On-Board Controls	<i>None</i>
Windscreen	Built-In

Performance

Frequency Range	20 Hz to 18 kHz
Maximum SPL	134 dB SPL (1 kHz, 1% THD)
Impedance	150 Ohms \pm 30% at 1 kHz
Sensitivity	-30 dBV/Pa at 1 kHz
Signal-to-Noise Ratio	78 dB
Equivalent Noise Level	16 dB A-Weighted

Connectivity

Output Connectors (Analog)	1 x XLR 3-Pin Male (on Mic)
Headphone Connector	<i>None</i>
Number of Conductors	2

Power

Operating Voltage	48 V
-------------------	------

Physical

Color	Black
Mounting	Shockmount (with Included Hardware)
Dimensions	ø: 4.83 x L: 15.49 cm
Weight	0.21 kg