

JBSYSTEMS AMP200.4 - Razglasno pojačalo

Šifra: 17523

Kategorija proizvoda: Razglasna Pojačala

Proizvođač: JBSYSTEMS



Cena: 939,00 KM

- Professional 4-channel power amplifier in an extremely compact 19" 1U-housing (H: 44mm)
- The unit houses 2 separate class-D amplifiers that can be configured independently to obtain the following combinations:
 - Both amps in stereo mode: 4x 200Wrms @ 4Ω (4x 100Wrms @ 8Ω)
 - Both amps in mono mode: 4x 200Wrms @ 4Ω (4x 100Wrms @ 8Ω)
 - Both amps in Bridge mode: 2x 400Wrms @ 8Ω
 - 3 Channel mode (2 sattelites + sub): 2x 200Wrms @ 4Ω (or 2x 100Wrms @ 8Ω) + 1x 400Wrms @ 8Ω
- 120Hz High Pass Filter on/off switch for satellite speakers
- 120Hz Low Pass Filter on/off switch for subwoofer
- DC fault + high temperature + overload and short circuit protections
- A plastic cover (included) can be installed to prevent access to the level knobs
- Balanced XLR inputs
- Speakon® compatible outputs

General : Dimensions (cm)	48.3 x 4.4 x 24
General : Weight (kg)	4.71
General : Color	black
General : Powerinput	AC 230V, 50Hz
General : Energy Label	No

General : Display	No
General : RU	1U
General : IP rating	indoor
Audio : min. frequency (Hz)	20
Audio : max. frequency (Hz)	20000
Audio : frequency range	120
Audio : S/N ratio (> dB)	100
Audio : max. output channels	4
Audio : Wrms 4Ω stereo, per channel	200
Audio : Wrms 8Ω stereo, per channel	100
Audio : Wrms 8Ω bridge	400
Audio : functions	fixed crossover
Connections : input	3 pin XLR, IEC

