


## Mackie DRM-215

Šifra: 18531  
Kategorija proizvoda: Aktivne Zvučne Kutije  
Proizvođač: MACKIE

**Cena: 2.252,00 KM**



For Medium- to Large-Sized Venues  
15" Woofer and 1.4" Compression Driver  
1600W Class-D Amplifier  
Frequency Response: 43 Hz to 20 kHz  
Peak SPL: 135 dB  
Integrated Advanced Impulse DSP Module  
User-Adjustable DRM Control Dashboard  
Dual Independent Mic/Line/Inst Inputs  
Stack, Stand/Pole Mount, Floor Monitor  
Tour-Grade Enclosure with Steel Grille

### PA Speaker

Configuration	Active
Total Power Capacity	1600 W Peak
Amplifier Class	Class-D

### Drivers

HF Driver	<b>1 x 1.4" / 35.6 mm</b>
LF Driver	1x 15" / 38.1 cm Woofer

## Performance

Frequency Response	43 Hz to 20 kHz -10 dB
Maximum SPL	135 dB
Coverage Angle	90° H x 60° V

## Connectivity

Audio I/O	2x Combo XLR-1/4" TRS Mic/Line Input 1x 1/8" / 3.5 mm TRS Aux Input
-----------	--

## Signal Processing

EQ	Yes
----	-----

Alignment Delay

Yes

## Power

AC Input Power

**Universal:**  
100 to 240 VAC, 50 / 60 Hz

## Physical

Mounting

8 x M10  
Pole Socket (Dual Angle)

Construction Material

Metal Grille, Plywood

Dimensions

28.3 x 18.1 x 17" / 718.8 x 459.7 x 431.8 mm

Weight

57.3 lb / 26 kg

## Packaging Info

Package Weight

62.25 lb

Box Dimensions (LxWxH)

32.5 x 22 x 20.5"