


Mackie DRM-315

Šifra: 18532

Kategorija proizvoda: Aktivne Zvučne Kutije

Proizvođač: MACKIE

Cena: 2.468,00 KM



For Medium- to Large-Sized Venues
15" LF, 6.5" MF, and 1.4" HF Drivers
2300W Class-D Amplifier
Frequency Response: 35 Hz to 20 kHz
Peak SPL: 137 dB
Integrated Advanced Impulse DSP Module
User-Adjustable DRM Control Dashboard
Dual Independent Mic/Line/Inst Inputs
Stack, Stand/Pole Mount, Horiz/Vert Fly
Tour-Grade Enclosure with Steel Grille

PA Speaker

Configuration	Active 3-Way
Total Power Capacity	2300 W Peak
Amplifier Class	Class-D

Drivers

HF Driver	1 x 1.4" / 35.6 mm
MF Driver	1x 6.5" / 165.1 mm
LF Driver	1x 15" / 38.1 cm Woofer

Performance

Frequency Response	35 Hz to 20 kHz -10 dB
Maximum SPL	137 dB
Coverage Angle	90° H x 50° V (Rotatable Horn)

Connectivity

Audio I/O	2x Combo XLR-1/4" TRS Mic/Line Input 1x 1/8" / 3.5 mm TRS Aux Input
-----------	--

Signal Processing

EQ	Yes
Alignment Delay	Yes

Power

AC Input Power	Universal: 100 to 240 VAC, 50 / 60 Hz
----------------	---

Physical

Mounting	12 x M10 Pole Socket (Dual Angle)
Construction Material	Metal Grille, Plywood
Dimensions	36.5 x 19 x 18" / 927.1 x 482.6 x 457.2 mm
Weight	68.3 lb / 31 kg

Packaging Info

Package Weight	79.35 lb
Box Dimensions (LxWxH)	39 x 22.5 x 22"