Firma: Player 387 doo
Adresa: Njegoševa 16
Telefon: +387 55 209 104
Fax:
PIB: 403444110009
E-mail: porudzbine@player.ba

KEF Ventura 6 White - Nazidni zvučnik



Šifra: 13229
Kategorija prozivoda: Outdoor Zvučnici
Proizvođač: KEF

Cena: 351,00 KM

Ventura 6

Weatherproof, IP65 certified and salt spray tested, marine quality Ventura Series outdoor models can flood your pool, garden or yacht with high quality sound, even in the most extreme atmospheric conditions.

Key Features

Weatherproof sealed enclosure
Salt spray tested for over 1200 hours
Operating temperature range: -40 to +70 C (-40 to +158 F)
Independent test lab certified IP65
Aluminium grille and mounting bracket, 1/4"-20 threaded inserts for mounting options
Stainless steel / brass hardware
Rotatable logo

The top of the range KEF Ventura 6s are larger, outdoor, weather resistant speakers which are a great way to get impressive sound in the garden, by the pool or on the patio.

The Venturas feature sealed, UV treated, high impact ABS composite cabinets and rust-proof powder coated aluminium grilles and brackets making them true 'all weather' speakers. The cabinets house a 160mm long-throw woofer and a 25mm fluid-cooled aluminium tweeter which, working together, allow the speakers to deliver an impressively full, detailed and open sound even at higher volumes. Spin your favourite party track and these capable speakers will soon have your patio rocking. The integrated brackets also feature up to 180º of lateral rotation, so even once they've been fitted, you can position the speakers for the best sound.

If you want high-quality sound outside your home, installing a pair of KEF Ventura 6 speakers is a great way to get it.

KEF’s outdoor speakers are tough. Come rain or shine, they deliver a rich, high precision sound.

SPECIFICATIONS

TYPE	Two-way Sealed box
NOMINAL IMPEDANCE	6 Ohms
SENSITIVITY	90dB (at 1m on axis for an input of 2.83v)
FREQUENCY RESPONSE	54Hz - 20kHz (±6dB)
CROSSOVER FREQUENCIES	3kHz
DRIVE UNITS	HF Unit : 25mm Tweeter (Fluid Cooled Aluminium) LF Unit : 160mm (6.5in.)
RECOMMENDED AMPLIFIER POWER	10 - 125 Watts
PRODUCT EXTERNAL DIMENSIONS	H x W x D 300 x 226 x 219 mm (11.8 x 9 x 8.6 in.) Cabinet only 300 x 226 x 263.5 mm (11.8 x 9 x 10.375 in.) With bracket and knobs
NET WEIGHT	3.8kg (8.4lbs)
UNIT MEASUREMENT	Pair
REMARKS	Ventura 6 Independent test laboratory certified IP65. GP Acoustics (UK) Ltd, reserve the right, in line with continuous research and development, to amend or change the specifications without prior notice. E. & O.E.

Cene su informativnog karaktera. Prodavac ne odgovara za tačnost cena iskazanih na sajtu, zadržava pravo izmena cena. Ponudu za ostale artikle, informacije o stanju lagera i aktuelnim cenama možete dobiti na upit. Plaćanje se isključivo vrši virmanski - bezgotovinski.