

Neutrik NTP3RC - Stereo mini-jack ugaoni konektor

Šifra: 6686
Kategorija proizvoda: Konektori
Proizvođač: Neutrik



Cena: 8,00 KM

Neutrik // NTP3RC - 3.5 mm Tiny Plug

The brand new NPT3RC is the perfect plug for professional applications requiring 3.5mm stereo plugs, like wireless headsets, portable CD/MP3 players, mic connections on video cameras, etc.

3 pole 3.5 mm audio plug, solder termination, chuck type strain relief, bushing, black housing, gold contacts
The only right-angled metal bodied 3.5 mm jack plug with chuck type strain relief for secure cable retention. It accepts cables from 2.0 to 4.5 mm.

Features & Benefits

All metal housing - robust and reliable
Chuck type cable clamp and rubber gland - excellent cable protection
Slim design - space saving

image not found or type unknown



Product	
Connector Type	Plug
Gender	male
Electrical	
Contact resistance	depends on mating connector mΩ
Dielectric strength	1 kVdc
Insulation resistance	> 2 GΩ (initial)
Insulation resistance	≥ 1 GΩ (after damp heat test)
Rated current per contact	≤ 15 A
Mechanical	
Cable O.D.	2 - 4.5 mm
Wire size	0,22 mm ²
Wire size	24 AWG
Wiring	Solder contacts
Material	
Bushing	Brass (CuZn39Pb3) + PU, black Cr
Contact plating	0.2 μm Au
Contacts	Brass (CuZn39Pb3)
Insert	Polyamide (PA 6.6 15 % GR)
Shell	Zinc diecast (ZnAl4Cu1)
Shell plating	Black chromium
Strain relief	Polyacetal (POM)
Environmental	
Solderability	Complies with IEC 68-2-20
Temperature range	-20 °C to +65 °C

